

COR-POEINJ

1 CHANNEL PoE INJECTOR / ETHERNET AF / AT STANDARD



KEY FEATURES

- Up to 30W of Power on 2 pairs
- 10 /100 /1000 Mbps pass through rates
- Supports 10 /100 /1000 Base-T-applications
- LED indicators power input and PoE output
- Easy plug and play installation
- Internal AC / DC converter
- No need for external power brick
- Multi protection

The PoE injector is a single port PoE injector offer a compact and cost effective, It can convert standard 100-200V/ AC power to IEEE 802.3af / at. compliant network accessories. Remote power of wireless LAN (WAN) access points, IP security cameras, VoIP telephone and other low port density installations.

The PoE mid spans no need to connect with external power supply and its associated AC / DC power cabling, providing a compact, affordable, safe and reliable power solution over existing ethernet infrastructure.

SPECIFICATIONS

Number of Channels	1
Pass through data rates	10 /100 /1000 Mbps
POWER OVER ETHERNET OUTPUT *	
Pin Assignment / Polarity	1/2 (-) , 3/6 (+)
Output power voltage	54VDC
User Port Power	30W
MISCELLANEOUS *	
Protections	Over current protection Overload protection Overload voltage protection Anti-interference protection
Connectors	Shielded RJ45, EIA 568A, 568B
INDICATORS *	
System indicator	AC power
User indicator	Channel power

INPUT POWER REQUIREMENTS *	
AC input Voltage	100 to 240 Vac
AC input Current	0.5A 100-240 Vac
AC Frequency	50 to 60 Hz
ENVIRONMENT *	
Working Temperature	0°C ~ 40°C / 32°F ~ 104°F
Storage Temperature	-40°C ~ 60°C / -40°F ~ 140°F
Operating Humidity	0 ~ 85% , Non condensing
Storage Humidity	0 ~ 90% , Non condensing
MECHANICAL *	
Dimensions L* W* H	121mm x 50mm x 36mm 4.7" x 1.9" x 1.4" (inches)

